

Prematurity and Prenatal Care (Item 2.a.ii. - iv.)

Statewide, all races

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	1,324,992	24,152	1.8	137,070	10.3	1,121,969	84.7	120,501	9.1	10,366	0.8
2008	72,002	1,354	1.9	7,970	11.1	59,970	83.3	6,504	9.0	568	0.8
2007	72,757	1,354	1.9	8,072	11.1	61,067	83.9	6,321	8.7	615	0.8
2006	72,302	1,431	2.0	8,104	11.2	60,831	84.1	6,121	8.5	588	0.8
2005	70,934	1,355	1.9	8,033	11.3	60,407	85.2	5,808	8.2	430	0.6
2004	70,130	1,256	1.8	7,702	11.0	59,725	85.2	5,695	8.1	463	0.7
2003	69,999	1,294	1.8	7,733	11.0	59,666	85.2	5,867	8.4	525	0.8
2002	68,510	1,304	1.9	7,328	10.7	58,381	85.2	5,963	8.7	479	0.7
2001	69,012	1,308	1.9	7,468	10.8	58,647	85.0	6,194	9.0	550	0.8
2000	69,289	1,316	1.9	7,236	10.4	58,835	84.9	6,199	8.9	530	0.8
1999	68,181	1,318	1.9	7,148	10.5	58,269	85.5	6,023	8.8	536	0.8
1998	67,379	1,255	1.9	6,947	10.3	57,678	85.6	5,958	8.8	608	0.9
1997	66,490	1,227	1.8	6,738	10.1	56,960	85.7	5,730	8.6	531	0.8
1996	67,150	1,242	1.8	6,648	9.9	57,559	85.7	5,923	8.8	509	0.8
1995	67,493	1,184	1.8	6,593	9.8	57,493	85.2	6,296	9.3	559	0.8
1994	68,267	1,181	1.7	6,828	10.0	57,821	84.7	6,408	9.4	586	0.9
1993	69,760	1,168	1.7	6,601	9.5	58,487	83.8	7,000	10.0	610	0.9
1992	70,662	1,160	1.6	6,552	9.3	59,320	83.9	7,085	10.0	588	0.8
1991	72,039	1,274	1.8	6,825	9.5	60,133	83.5	7,799	10.8	509	0.7
1990	72,636	1,171	1.6	6,544	9.0	60,720	83.6	7,607	10.5	582	0.8

Statewide, White

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	1,057,586	15,901	1.5	98,879	9.3	936,120	88.5	67,167	6.4	5,360	0.5
2008	53,561	856	1.6	5,456	10.2	46,489	86.8	3,522	6.6	268	0.5
2007	54,522	865	1.6	5,592	10.3	47,518	87.2	3,490	6.4	290	0.5
2006	54,525	918	1.7	5,607	10.3	47,758	87.6	3,390	6.2	313	0.6
2005	54,292	864	1.6	5,689	10.5	47,976	88.4	3,260	6.0	221	0.4
2004	54,217	796	1.5	5,567	10.3	47,850	88.3	3,208	5.9	276	0.5
2003	54,831	857	1.6	5,730	10.5	48,638	88.7	3,188	5.8	318	0.6
2002	53,798	866	1.6	5,372	10.0	47,854	89.0	3,169	5.9	265	0.5
2001	53,969	846	1.6	5,422	10.0	47,887	88.7	3,278	6.1	298	0.6
2000	55,381	895	1.6	5,327	9.6	49,107	88.7	3,430	6.2	277	0.5
1999	54,813	900	1.6	5,253	9.6	48,909	89.2	3,404	6.2	268	0.5
1998	54,598	824	1.5	5,098	9.3	48,739	89.3	3,388	6.2	330	0.6
1997	54,239	846	1.6	4,998	9.2	48,487	89.4	3,277	6.0	280	0.5
1996	54,915	836	1.5	4,875	8.9	49,304	89.8	3,232	5.9	268	0.5
1995	55,404	763	1.4	4,752	8.6	49,406	89.2	3,542	6.4	290	0.5
1994	56,452	808	1.4	5,023	8.9	50,317	89.1	3,536	6.3	271	0.5
1993	57,763	785	1.4	4,737	8.2	50,990	88.3	3,926	6.8	284	0.5
1992	58,618	742	1.3	4,705	8.0	51,853	88.5	3,982	6.8	285	0.5
1991	60,396	844	1.4	4,916	8.1	53,142	88.0	4,495	7.4	260	0.4
1990	61,292	790	1.3	4,760	7.8	53,896	87.9	4,450	7.3	298	0.5

Statewide, Black

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	127,944	5,491	4.3	22,637	17.7	86,465	67.6	26,332	20.6	3,397	2.7
2008	7,236	273	3.8	1,218	16.8	5,089	70.3	1,213	16.8	196	2.7
2007	7,230	290	4.0	1,250	17.3	5,321	73.6	1,093	15.1	192	2.7
2006	7,020	299	4.3	1,251	17.8	5,133	73.1	1,066	15.2	153	2.2
2005	6,715	292	4.3	1,205	17.9	5,043	75.1	962	14.3	120	1.8
2004	6,496	274	4.2	1,112	17.1	4,884	75.2	962	14.8	102	1.6
2003	6,409	261	4.1	1,078	16.8	4,589	71.6	1,119	17.5	118	1.8
2002	6,338	274	4.3	1,072	16.9	4,448	70.2	1,207	19.0	132	2.1
2001	6,467	303	4.7	1,114	17.2	4,455	68.9	1,313	20.3	167	2.6
2000	6,437	280	4.3	1,130	17.6	4,450	69.1	1,247	19.4	169	2.6
1999	6,444	266	4.1	1,095	17.0	4,368	67.8	1,292	20.0	170	2.6
1998	6,480	289	4.5	1,120	17.3	4,399	67.9	1,359	21.0	194	3.0
1997	6,366	264	4.1	1,084	17.0	4,294	67.5	1,287	20.2	170	2.7
1996	6,380	275	4.3	1,127	17.7	4,220	66.1	1,405	22.0	167	2.6
1995	6,480	304	4.7	1,207	18.6	4,246	65.5	1,484	22.9	197	3.0
1994	6,813	272	4.0	1,220	17.9	4,281	62.8	1,677	24.6	235	3.4
1993	7,128	291	4.1	1,299	18.2	4,399	61.7	1,804	25.3	267	3.7
1992	7,263	330	4.5	1,315	18.1	4,403	60.6	1,879	25.9	238	3.3
1991	7,146	344	4.8	1,413	19.8	4,229	59.2	2,038	28.5	185	2.6
1990	7,096	310	4.4	1,327	18.7	4,214	59.4	1,925	27.1	225	3.2

Statewide, Hispanic

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	80,773	1,626	2.0	8,977	11.1	59,455	73.6	14,230	17.6	968	1.2
2008	7,025	138	2.0	800	11.4	5,328	75.8	1,089	15.5	50	0.7
2007	6,911	134	1.9	778	11.3	5,202	75.3	1,067	15.4	89	1.3
2006	6,861	137	2.0	824	12.0	5,068	73.9	1,066	15.5	72	1.0
2005	6,262	120	1.9	723	11.5	4,663	74.5	1,021	16.3	57	0.9
2004	5,915	109	1.8	630	10.7	4,406	74.5	946	16.0	54	0.9
2003	5,522	112	2.0	577	10.4	4,096	74.2	988	17.9	53	1.0
2002	5,274	101	1.9	525	10.0	3,848	73.0	990	18.8	50	0.9
2001	5,145	107	2.1	569	11.1	3,795	73.8	971	18.9	63	1.2
2000	4,484	82	1.8	460	10.3	3,213	71.7	894	19.9	55	1.2
1999	4,036	81	2.0	451	11.2	2,966	73.5	738	18.3	67	1.7
1998	3,633	91	2.5	416	11.5	2,721	74.9	612	16.8	55	1.5
1997	3,206	58	1.8	338	10.5	2,406	75.0	536	16.7	54	1.7
1996	3,138	77	2.5	336	10.7	2,276	72.5	600	19.1	49	1.6
1995	2,856	72	2.5	310	10.9	2,084	73.0	540	18.9	49	1.7
1994	2,398	54	2.3	293	12.2	1,701	70.9	447	18.6	41	1.7
1993	2,173	35	1.6	263	12.1	1,546	71.1	444	20.4	27	1.2
1992	2,129	48	2.3	245	11.5	1,524	71.6	413	19.4	33	1.6
1991	1,944	42	2.2	222	11.4	1,323	68.1	455	23.4	30	1.5
1990	1,861	28	1.5	217	11.7	1,289	69.3	413	22.2	20	1.1

Statewide, Other

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	58,689	1,134	1.9	6,577	11.2	39,929	68.0	12,772	21.8	641	1.1
2008	4,180	87	2.1	496	11.9	3,064	73.3	680	16.3	54	1.3
2007	4,094	65	1.6	452	11.0	3,026	73.9	671	16.4	44	1.1
2006	3,896	77	2.0	422	10.8	2,872	73.7	599	15.4	50	1.3
2005	3,665	79	2.2	416	11.4	2,725	74.4	565	15.4	32	0.9
2004	3,502	77	2.2	393	11.2	2,585	73.8	579	16.5	31	0.9
2003	3,237	64	2.0	348	10.8	2,343	72.4	572	17.7	36	1.1
2002	3,100	63	2.0	359	11.6	2,231	72.0	597	19.3	32	1.0
2001	3,431	52	1.5	363	10.6	2,510	73.2	632	18.4	22	0.6
2000	2,987	59	2.0	319	10.7	2,065	69.1	628	21.0	29	1.0
1999	2,888	71	2.5	349	12.1	2,026	70.2	589	20.4	31	1.1
1998	2,668	51	1.9	313	11.7	1,819	68.2	599	22.5	29	1.1
1997	2,679	59	2.2	318	11.9	1,773	66.2	630	23.5	27	1.0
1996	2,717	54	2.0	310	11.4	1,759	64.7	686	25.2	25	0.9
1995	2,753	45	1.6	324	11.8	1,757	63.8	730	26.5	23	0.8
1994	2,604	47	1.8	292	11.2	1,522	58.4	748	28.7	39	1.5
1993	2,696	57	2.1	302	11.2	1,552	57.6	826	30.6	32	1.2
1992	2,652	40	1.5	287	10.8	1,540	58.1	811	30.6	32	1.2
1991	2,553	44	1.7	274	10.7	1,439	56.4	811	31.8	34	1.3
1990	2,387	43	1.8	240	10.1	1,321	55.3	819	34.3	39	1.6

Dane, all races

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	104,042	1,586	1.5	9,868	9.5	92,619	89.0	5,700	5.5	418	0.4
2008	6,224	87	1.4	622	10.0	5,424	87.1	369	5.9	11	0.2
2007	6,198	87	1.4	574	9.3	5,444	87.8	354	5.7	22	0.4
2006	6,104	105	1.7	615	10.1	5,320	87.2	316	5.2	24	0.4
2005	6,055	96	1.6	641	10.6	5,248	86.7	346	5.7	32	0.5
2004	5,995	87	1.5	575	9.6	5,287	88.2	343	5.7	24	0.4
2003	5,725	71	1.2	602	10.5	5,075	88.6	288	5.0	20	0.3
2002	5,561	73	1.3	561	10.1	4,909	88.3	285	5.1	22	0.4
2001	5,520	89	1.6	583	10.6	4,935	89.4	302	5.5	19	0.3
2000	5,555	88	1.6	515	9.3	4,966	89.4	256	4.6	24	0.4
1999	5,189	75	1.4	491	9.5	4,613	88.9	252	4.9	24	0.5
1998	5,125	91	1.8	510	10.0	4,588	89.5	255	5.0	35	0.7
1997	5,023	80	1.6	450	9.0	4,494	89.5	247	4.9	20	0.4
1996	4,977	94	1.9	450	9.0	4,574	91.9	250	5.0	14	0.3
1995	5,023	56	1.1	426	8.5	4,607	91.7	260	5.2	22	0.4
1994	4,848	80	1.7	474	9.8	4,436	91.5	260	5.4	19	0.4
1993	5,181	88	1.7	462	8.9	4,670	90.1	288	5.6	18	0.3
1992	5,209	66	1.3	428	8.2	4,654	89.3	317	6.1	27	0.5
1991	5,224	98	1.9	448	8.6	4,673	89.5	369	7.1	18	0.3
1990	5,306	75	1.4	441	8.3	4,702	88.6	343	6.5	23	0.4

Dane, White

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	84,143	1,127	1.3	7,439	8.8	77,158	91.7	2,924	3.5	259	0.3
2008	4,541	60	1.3	437	9.6	4,087	90.0	176	3.9	8	0.2
2007	4,545	56	1.2	386	8.5	4,115	90.5	173	3.8	13	0.3
2006	4,497	79	1.8	441	9.8	4,051	90.1	139	3.1	17	0.4
2005	4,505	63	1.4	458	10.2	4,029	89.4	155	3.4	18	0.4
2004	4,590	64	1.4	426	9.3	4,187	91.2	148	3.2	15	0.3
2003	4,456	48	1.1	446	10.0	4,045	90.8	149	3.3	13	0.3
2002	4,333	55	1.3	424	9.8	3,950	91.2	111	2.6	15	0.3
2001	4,325	58	1.3	419	9.7	4,009	92.7	119	2.8	9	0.2
2000	4,442	57	1.3	382	8.6	4,075	91.7	120	2.7	17	0.4
1999	4,212	60	1.4	373	8.9	3,854	91.5	126	3.0	12	0.3
1998	4,256	59	1.4	388	9.1	3,932	92.4	123	2.9	25	0.6
1997	4,208	58	1.4	344	8.2	3,877	92.1	129	3.1	13	0.3
1996	4,244	69	1.6	359	8.5	4,013	94.6	126	3.0	8	0.2
1995	4,278	32	0.7	337	7.9	4,033	94.3	135	3.2	13	0.3
1994	4,204	58	1.4	385	9.2	3,959	94.2	139	3.3	11	0.3
1993	4,510	64	1.4	368	8.2	4,159	92.2	181	4.0	11	0.2
1992	4,552	42	0.9	326	7.2	4,186	92.0	189	4.2	16	0.4
1991	4,636	82	1.8	365	7.9	4,247	91.6	243	5.2	10	0.2
1990	4,809	63	1.3	375	7.8	4,350	90.5	243	5.1	15	0.3

Dane, Black

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	6,971	257	3.7	1,176	16.9	5,095	73.1	1,187	17.0	90	1.3
2008	509	13	2.6	67	13.2	363	71.3	87	17.1	X	N/A
2007	503	12	2.4	79	15.7	363	72.2	79	15.7	X	N/A
2006	482	12	2.5	66	13.7	364	75.5	67	13.9	X	N/A
2005	465	17	3.7	85	18.3	355	76.3	62	13.3	8	1.7
2004	435	10	2.3	58	13.3	323	74.3	72	16.6	X	N/A
2003	383	14	3.7	65	17.0	291	76.0	56	14.6	6	1.6
2002	406	8	2.0	56	13.8	316	77.8	56	13.8	5	1.2
2001	391	19	4.9	78	19.9	289	73.9	67	17.1	X	N/A
2000	356	15	4.2	63	17.7	281	78.9	44	12.4	6	1.7
1999	336	6	1.8	45	13.4	247	73.5	44	13.1	X	N/A
1998	361	11	3.0	61	16.9	263	72.9	63	17.5	X	N/A
1997	331	13	3.9	62	18.7	238	71.9	55	16.6	X	N/A
1996	301	19	6.3	52	17.3	225	74.8	58	19.3	X	N/A
1995	305	18	5.9	54	17.7	219	71.8	57	18.7	8	2.6
1994	284	14	4.9	52	18.3	197	69.4	62	21.8	X	N/A
1993	300	15	5.0	61	20.3	215	71.7	57	19.0	6	2.0
1992	321	19	5.9	68	21.2	209	65.1	78	24.3	8	2.5
1991	266	13	4.9	59	22.2	181	68.0	71	26.7	5	1.9
1990	236	9	3.8	45	19.1	156	66.1	52	22.0	X	N/A

Dane, Hispanic

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	6,388	110	1.7	675	10.6	5,072	79.4	839	13.1	41	0.6
2008	655	8	1.2	63	9.6	542	82.7	60	9.2	X	N/A
2007	611	11	1.8	55	9.0	517	84.6	50	8.2	X	N/A
2006	648	13	2.0	74	11.4	510	78.7	77	11.9	X	N/A
2005	606	9	1.5	67	11.1	477	78.7	82	13.5	X	N/A
2004	548	6	1.1	61	11.1	430	78.5	81	14.8	5	0.9
2003	478	7	1.5	55	11.5	380	79.5	57	11.9	X	N/A
2002	447	5	1.1	42	9.4	340	76.1	77	17.2	X	N/A
2001	414	8	1.9	47	11.4	318	76.8	67	16.2	5	1.2
2000	398	7	1.8	42	10.6	318	79.9	54	13.6	X	N/A
1999	334	X	N/A	40	12.0	267	79.9	43	12.9	5	1.5
1998	227	15	6.6	35	15.4	177	78.0	31	13.7	6	2.6
1997	209	X	N/A	14	6.7	175	83.7	17	8.1	X	N/A
1996	174	X	N/A	18	10.3	127	73.0	32	18.4	X	N/A
1995	154	X	N/A	18	11.7	121	78.6	30	19.5	X	N/A
1994	115	X	N/A	11	9.6	87	75.7	21	18.3	X	N/A
1993	102	.	N/A	9	8.8	81	79.4	16	15.7	.	N/A
1992	103	X	N/A	10	9.7	78	75.7	15	14.6	X	N/A
1991	83	X	N/A	X	N/A	66	79.5	13	15.7	.	N/A
1990	82	X	N/A	10	12.2	61	74.4	16	19.5	X	N/A

Dane, Other

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	6,540	92	1.4	578	8.8	5,294	80.9	750	11.5	28	0.4
2008	519	6	1.2	55	10.6	432	83.2	46	8.9	.	N/A
2007	539	8	1.5	54	10.0	449	83.3	52	9.6	X	N/A
2006	477	X	N/A	34	7.1	395	82.8	33	6.9	X	N/A
2005	479	7	1.5	31	6.5	387	80.8	47	9.8	X	N/A
2004	422	7	1.7	30	7.1	347	82.2	42	10.0	.	N/A
2003	408	X	N/A	36	8.8	359	88.0	26	6.4	.	N/A
2002	375	5	1.3	39	10.4	303	80.8	41	10.9	X	N/A
2001	390	X	N/A	39	10.0	319	81.8	49	12.6	X	N/A
2000	359	9	2.5	28	7.8	292	81.3	38	10.6	.	N/A
1999	307	5	1.6	33	10.7	245	79.8	39	12.7	X	N/A
1998	281	6	2.1	26	9.3	216	76.9	38	13.5	X	N/A
1997	275	8	2.9	30	10.9	204	74.2	46	16.7	X	N/A
1996	258	X	N/A	21	8.1	209	81.0	34	13.2	X	N/A
1995	286	X	N/A	17	5.9	234	81.8	38	13.3	.	N/A
1994	245	X	N/A	26	10.6	193	78.8	38	15.5	X	N/A
1993	269	9	3.3	24	8.9	215	79.9	34	12.6	X	N/A
1992	233	X	N/A	24	10.3	181	77.7	35	15.0	X	N/A
1991	239	X	N/A	20	8.4	179	74.9	42	17.6	X	N/A
1990	179	X	N/A	11	6.1	135	75.4	32	17.9	X	N/A

Kenosha, all races

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	40,262	677	1.7	4,174	10.4	34,206	85.0	3,671	9.1	407	1.0
2008	2,306	45	2.0	287	12.4	1,859	80.6	229	9.9	24	1.0
2007	2,142	41	1.9	257	12.0	1,768	82.5	199	9.3	25	1.2
2006	2,212	43	1.9	223	10.1	1,862	84.2	194	8.8	27	1.2
2005	2,133	31	1.5	247	11.6	1,806	84.7	165	7.7	10	0.5
2004	2,125	31	1.5	225	10.6	1,787	84.1	167	7.9	13	0.6
2003	2,160	28	1.3	236	10.9	1,887	87.4	153	7.1	16	0.7
2002	2,091	33	1.6	221	10.6	1,804	86.3	184	8.8	18	0.9
2001	2,119	43	2.0	257	12.1	1,818	85.8	192	9.1	26	1.2
2000	2,151	42	2.0	205	9.5	1,814	84.3	210	9.8	20	0.9
1999	2,162	51	2.4	251	11.6	1,829	84.6	188	8.7	39	1.8
1998	2,077	34	1.6	232	11.2	1,772	85.3	203	9.8	26	1.3
1997	2,027	40	2.0	219	10.8	1,770	87.3	171	8.4	23	1.1
1996	2,008	26	1.3	172	8.6	1,778	88.5	160	8.0	15	0.7
1995	2,040	27	1.3	180	8.8	1,724	84.5	209	10.2	17	0.8
1994	2,026	36	1.8	218	10.8	1,761	86.9	164	8.1	23	1.1
1993	2,039	26	1.3	175	8.6	1,711	83.9	215	10.5	23	1.1
1992	2,167	36	1.7	188	8.7	1,839	84.9	224	10.3	21	1.0
1991	2,234	36	1.6	205	9.2	1,872	83.8	244	10.9	14	0.6
1990	2,043	28	1.4	176	8.6	1,745	85.4	200	9.8	27	1.3

Kenosha, White

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	31,584	449	1.4	2,945	9.3	27,964	88.5	2,105	6.7	212	0.7
2008	1,651	29	1.8	195	11.8	1,425	86.3	98	5.9	13	0.8
2007	1,522	25	1.6	164	10.8	1,311	86.1	107	7.0	12	0.8
2006	1,596	29	1.8	153	9.6	1,400	87.7	97	6.1	21	1.3
2005	1,559	15	1.0	163	10.5	1,371	87.9	84	5.4	6	0.4
2004	1,544	20	1.3	154	10.0	1,361	88.1	79	5.1	6	0.4
2003	1,653	15	0.9	174	10.5	1,500	90.7	75	4.5	12	0.7
2002	1,633	25	1.5	159	9.7	1,469	90.0	103	6.3	5	0.3
2001	1,627	30	1.8	187	11.5	1,454	89.4	105	6.5	14	0.9
2000	1,690	26	1.5	149	8.8	1,488	88.0	122	7.2	9	0.5
1999	1,720	37	2.2	187	10.9	1,522	88.5	108	6.3	15	0.9
1998	1,662	21	1.3	162	9.7	1,466	88.2	129	7.8	10	0.6
1997	1,629	28	1.7	158	9.7	1,474	90.5	99	6.1	10	0.6
1996	1,617	14	0.9	120	7.4	1,467	90.7	98	6.1	9	0.6
1995	1,649	18	1.1	127	7.7	1,447	87.8	134	8.1	11	0.7
1994	1,690	27	1.6	158	9.3	1,518	89.8	110	6.5	9	0.5
1993	1,722	18	1.0	120	7.0	1,512	87.8	137	8.0	15	0.9
1992	1,806	25	1.4	140	7.8	1,613	89.3	128	7.1	8	0.4
1991	1,887	25	1.3	148	7.8	1,641	87.0	162	8.6	10	0.5
1990	1,727	22	1.3	127	7.4	1,525	88.3	130	7.5	17	1.0

Kenosha, Black

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	3,505	126	3.6	617	17.6	2,404	68.6	690	19.7	116	3.3
2008	223	7	3.1	46	20.6	130	58.3	59	26.5	6	2.7
2007	208	9	4.3	44	21.2	149	71.6	31	14.9	7	3.4
2006	212	5	2.4	36	17.0	159	75.0	29	13.7	6	2.8
2005	215	10	4.7	41	19.1	159	74.0	30	14.0	X	N/A
2004	199	6	3.0	27	13.6	137	68.8	36	18.1	X	N/A
2003	178	6	3.4	22	12.4	130	73.0	32	18.0	X	N/A
2002	195	6	3.1	34	17.4	135	69.2	36	18.5	9	4.6
2001	180	7	3.9	32	17.8	128	71.1	31	17.2	7	3.9
2000	174	10	5.7	22	12.6	133	76.4	25	14.4	X	N/A
1999	166	6	3.6	28	16.9	105	63.3	34	20.5	12	7.2
1998	167	9	5.4	37	22.2	112	67.1	31	18.6	14	8.4
1997	182	7	3.8	35	19.2	128	70.3	35	19.2	9	4.9
1996	179	6	3.4	27	15.1	139	77.7	33	18.4	X	N/A
1995	181	5	2.8	30	16.6	127	70.2	34	18.8	X	N/A
1994	163	X	N/A	29	17.8	113	69.3	32	19.6	7	4.3
1993	153	6	3.9	33	21.6	90	58.8	45	29.4	X	N/A
1992	184	5	2.7	25	13.6	107	58.2	54	29.3	9	4.9
1991	186	8	4.3	36	19.4	118	63.4	46	24.7	X	N/A
1990	160	X	N/A	27	16.9	105	65.6	37	23.1	7	4.4

Kenosha, Hispanic

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	4,502	88	2.0	547	12.2	3,287	73.0	816	18.1	73	1.6
2008	381	8	2.1	44	11.5	263	69.0	69	18.1	5	1.3
2007	356	6	1.7	47	13.2	267	75.0	54	15.2	6	1.7
2006	346	7	2.0	29	8.4	257	74.3	60	17.3	.	N/A
2005	308	5	1.6	36	11.7	233	75.6	47	15.3	X	N/A
2004	328	5	1.5	39	11.9	246	75.0	49	14.9	5	1.5
2003	281	X	N/A	30	10.7	216	76.9	42	14.9	X	N/A
2002	230	X	N/A	27	11.7	170	73.9	43	18.7	X	N/A
2001	259	6	2.3	34	13.1	194	74.9	48	18.5	5	1.9
2000	249	5	2.0	29	11.6	159	63.9	62	24.9	7	2.8
1999	236	8	3.4	33	14.0	168	71.2	43	18.2	11	4.7
1998	217	X	N/A	28	12.9	167	77.0	41	18.9	X	N/A
1997	184	5	2.7	22	12.0	143	77.7	33	17.9	X	N/A
1996	188	5	2.7	19	10.1	151	80.3	28	14.9	X	N/A
1995	185	X	N/A	20	10.8	129	69.7	40	21.6	X	N/A
1994	151	X	N/A	25	16.6	113	74.8	20	13.2	X	N/A
1993	149	X	N/A	22	14.8	99	66.4	29	19.5	X	N/A
1992	164	5	3.0	21	12.8	107	65.2	41	25.0	X	N/A
1991	148	X	N/A	21	14.2	102	68.9	35	23.6	.	N/A
1990	142	X	N/A	21	14.8	103	72.5	32	22.5	X	N/A

Kenosha, Other

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	671	14	2.1	65	9.7	551	82.1	60	8.9	6	0.9
2008	51	X	N/A	X	N/A	41	80.4	X	N/A	.	N/A
2007	56	X	N/A	X	N/A	41	73.2	7	12.5	.	N/A
2006	58	X	N/A	5	8.6	46	79.3	8	13.8	.	N/A
2005	51	X	N/A	7	13.7	43	84.3	X	N/A	.	N/A
2004	54	.	N/A	5	9.3	43	79.6	X	N/A	.	N/A
2003	48	X	N/A	10	20.8	41	85.4	X	N/A	.	N/A
2002	33	.	N/A	X	N/A	30	90.9	X	N/A	X	N/A
2001	53	.	N/A	X	N/A	42	79.2	8	15.1	.	N/A
2000	38	X	N/A	X	N/A	34	89.5	X	N/A	.	N/A
1999	40	.	N/A	X	N/A	34	85.0	X	N/A	X	N/A
1998	31	.	N/A	X	N/A	27	87.1	X	N/A	.	N/A
1997	32	.	N/A	X	N/A	25	78.1	X	N/A	X	N/A
1996	24	X	N/A	6	25.0	21	87.5	X	N/A	.	N/A
1995	25	.	N/A	X	N/A	21	84.0	X	N/A	.	N/A
1994	22	X	N/A	6	27.3	17	77.3	X	N/A	X	N/A
1993	15	.	N/A	.	N/A	10	66.7	X	N/A	.	N/A
1992	13	X	N/A	X	N/A	12	92.3	X	N/A	.	N/A
1991	13	.	N/A	.	N/A	11	84.6	X	N/A	.	N/A
1990	14	.	N/A	X	N/A	12	85.7	X	N/A	.	N/A

Milwaukee, all races

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	289,743	7,723	2.7	37,150	12.8	228,431	78.8	37,735	13.0	4,444	1.5
2008	15,368	402	2.6	2,017	13.1	12,080	78.6	1,814	11.8	279	1.8
2007	15,318	408	2.7	2,051	13.4	12,284	80.2	1,725	11.3	283	1.8
2006	15,195	414	2.7	2,095	13.8	12,004	79.0	1,700	11.2	247	1.6
2005	14,906	438	2.9	2,027	13.6	12,085	81.1	1,580	10.6	171	1.1
2004	14,635	371	2.5	1,870	12.8	11,949	81.6	1,527	10.4	156	1.1
2003	14,793	401	2.7	1,919	13.0	11,799	79.8	1,847	12.5	163	1.1
2002	14,332	398	2.8	1,809	12.6	11,327	79.0	1,879	13.1	189	1.3
2001	14,727	402	2.7	1,841	12.5	11,616	78.9	1,948	13.2	231	1.6
2000	14,846	406	2.7	1,901	12.8	11,682	78.7	1,935	13.0	209	1.4
1999	14,832	403	2.7	1,901	12.8	11,760	79.3	1,894	12.8	214	1.4
1998	14,733	383	2.6	1,850	12.6	11,867	80.5	1,785	12.1	225	1.5
1997	14,338	359	2.5	1,757	12.3	11,577	80.7	1,669	11.6	209	1.5
1996	14,792	395	2.7	1,914	12.9	11,696	79.1	1,940	13.1	215	1.5
1995	15,067	387	2.6	1,861	12.4	11,933	79.2	2,053	13.6	243	1.6
1994	15,539	419	2.7	2,016	13.0	12,087	77.8	2,200	14.2	298	1.9
1993	16,076	428	2.7	2,013	12.5	12,374	77.0	2,375	14.8	325	2.0
1992	16,547	432	2.6	2,097	12.7	12,688	76.7	2,474	15.0	280	1.7
1991	16,686	461	2.8	2,146	12.9	12,602	75.5	2,774	16.6	236	1.4
1990	17,013	416	2.4	2,065	12.1	13,021	76.5	2,616	15.4	271	1.6

Milwaukee, White

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	137,457	2,183	1.6	13,029	9.5	123,924	90.2	7,545	5.5	960	0.7
2008	6,150	109	1.8	630	10.2	5,358	87.1	387	6.3	61	1.0
2007	6,113	108	1.8	653	10.7	5,362	87.7	383	6.3	64	1.0
2006	6,280	102	1.6	671	10.7	5,548	88.3	368	5.9	66	1.1
2005	6,293	123	2.0	651	10.3	5,678	90.2	326	5.2	37	0.6
2004	6,345	85	1.3	659	10.4	5,752	90.7	297	4.7	40	0.6
2003	6,646	124	1.9	720	10.8	5,992	90.2	369	5.6	37	0.6
2002	6,383	106	1.7	635	9.9	5,787	90.7	332	5.2	37	0.6
2001	6,581	110	1.7	642	9.8	5,897	89.6	353	5.4	56	0.9
2000	6,978	122	1.7	686	9.8	6,274	89.9	365	5.2	36	0.5
1999	6,971	118	1.7	710	10.2	6,326	90.7	360	5.2	43	0.6
1998	7,077	102	1.4	669	9.5	6,484	91.6	314	4.4	54	0.8
1997	7,000	99	1.4	624	8.9	6,459	92.3	296	4.2	42	0.6
1996	7,364	119	1.6	711	9.7	6,709	91.1	378	5.1	44	0.6
1995	7,621	96	1.3	622	8.2	6,955	91.3	409	5.4	46	0.6
1994	7,994	155	1.9	742	9.3	7,274	91.0	418	5.2	60	0.8
1993	8,381	143	1.7	721	8.6	7,557	90.2	477	5.7	78	0.9
1992	8,723	120	1.4	771	8.8	7,831	89.8	537	6.2	58	0.7
1991	9,074	127	1.4	746	8.2	8,119	89.5	612	6.7	47	0.5
1990	9,483	115	1.2	766	8.1	8,562	90.3	564	5.9	54	0.6

Milwaukee, Black

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	102,894	4,535	4.4	18,471	18.0	68,942	67.0	21,397	20.8	2,808	2.7
2008	5,471	215	3.9	931	17.0	3,868	70.7	876	16.0	172	3.1
2007	5,550	224	4.0	972	17.5	4,120	74.2	833	15.0	153	2.8
2006	5,380	241	4.5	975	18.1	3,948	73.4	800	14.9	115	2.1
2005	5,233	239	4.6	951	18.2	3,941	75.3	726	13.9	94	1.8
2004	5,032	221	4.4	886	17.6	3,793	75.4	728	14.5	80	1.6
2003	5,041	213	4.2	865	17.2	3,560	70.6	901	17.9	93	1.8
2002	4,962	227	4.6	854	17.2	3,428	69.1	973	19.6	108	2.2
2001	5,141	235	4.6	883	17.2	3,497	68.0	1,064	20.7	139	2.7
2000	5,196	231	4.4	932	17.9	3,527	67.9	1,047	20.2	137	2.6
1999	5,283	232	4.4	928	17.6	3,558	67.3	1,076	20.4	135	2.6
1998	5,230	240	4.6	909	17.4	3,546	67.8	1,092	20.9	145	2.8
1997	5,166	219	4.2	889	17.2	3,469	67.2	1,048	20.3	140	2.7
1996	5,238	220	4.2	949	18.1	3,428	65.4	1,142	21.8	146	2.8
1995	5,312	245	4.6	997	18.8	3,451	65.0	1,225	23.1	169	3.2
1994	5,680	227	4.0	1,032	18.2	3,554	62.6	1,403	24.7	202	3.6
1993	5,922	250	4.2	1,081	18.3	3,622	61.2	1,511	25.5	222	3.7
1992	6,065	282	4.6	1,110	18.3	3,641	60.0	1,570	25.9	201	3.3
1991	5,980	297	5.0	1,202	20.1	3,469	58.0	1,739	29.1	161	2.7
1990	6,012	277	4.6	1,125	18.7	3,522	58.6	1,643	27.3	196	3.3

Milwaukee, Hispanic

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	35,727	743	2.1	4,042	11.3	26,110	73.1	6,109	17.1	483	1.4
2008	2,818	61	2.2	350	12.4	2,204	78.2	387	13.7	20	0.7
2007	2,769	66	2.4	336	12.1	2,113	76.3	394	14.2	51	1.8
2006	2,713	56	2.1	351	12.9	1,923	70.9	419	15.4	45	1.7
2005	2,537	53	2.1	311	12.3	1,838	72.4	408	16.1	30	1.2
2004	2,449	44	1.8	235	9.6	1,807	73.8	383	15.6	25	1.0
2003	2,329	50	2.1	249	10.7	1,683	72.3	448	19.2	27	1.2
2002	2,276	46	2.0	229	10.1	1,598	70.2	451	19.8	29	1.3
2001	2,205	46	2.1	240	10.9	1,625	73.7	396	18.0	31	1.4
2000	1,939	43	2.2	204	10.5	1,378	71.1	366	18.9	27	1.4
1999	1,842	38	2.1	185	10.0	1,350	73.3	328	17.8	27	1.5
1998	1,754	35	2.0	190	10.8	1,349	76.9	254	14.5	20	1.1
1997	1,537	25	1.6	167	10.9	1,200	78.1	205	13.3	24	1.6
1996	1,523	38	2.5	154	10.1	1,108	72.8	271	17.8	19	1.2
1995	1,476	37	2.5	158	10.7	1,101	74.6	247	16.7	24	1.6
1994	1,259	26	2.1	165	13.1	882	70.1	229	18.2	23	1.8
1993	1,141	20	1.8	132	11.6	807	70.7	222	19.5	16	1.4
1992	1,124	19	1.7	140	12.5	817	72.7	205	18.2	16	1.4
1991	1,044	23	2.2	128	12.3	676	64.8	263	25.2	17	1.6
1990	992	17	1.7	118	11.9	651	65.6	233	23.5	12	1.2

Milwaukee, Other

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	13,665	262	1.9	1,608	11.8	9,455	69.2	2,684	19.6	193	1.4
2008	929	17	1.8	106	11.4	650	70.0	164	17.7	26	2.8
2007	886	10	1.1	90	10.2	689	77.8	115	13.0	15	1.7
2006	822	15	1.8	98	11.9	585	71.2	113	13.7	21	2.6
2005	843	23	2.7	114	13.5	628	74.5	120	14.2	10	1.2
2004	809	21	2.6	90	11.1	597	73.8	119	14.7	11	1.4
2003	777	14	1.8	85	10.9	564	72.6	129	16.6	6	0.8
2002	711	19	2.7	91	12.8	514	72.3	123	17.3	15	2.1
2001	800	11	1.4	76	9.5	597	74.6	135	16.9	5	0.6
2000	733	10	1.4	79	10.8	503	68.6	157	21.4	9	1.2
1999	736	15	2.0	78	10.6	526	71.5	130	17.7	9	1.2
1998	672	6	0.9	82	12.2	488	72.6	125	18.6	6	0.9
1997	635	16	2.5	77	12.1	449	70.7	120	18.9	X	N/A
1996	667	18	2.7	100	15.0	451	67.6	149	22.3	6	0.9
1995	658	9	1.4	84	12.8	426	64.7	172	26.1	X	N/A
1994	606	11	1.8	77	12.7	377	62.2	150	24.8	13	2.1
1993	632	15	2.4	79	12.5	388	61.4	165	26.1	9	1.4
1992	635	11	1.7	76	12.0	399	62.8	162	25.5	5	0.8
1991	588	14	2.4	70	11.9	338	57.5	160	27.2	11	1.9
1990	526	7	1.3	56	10.6	286	54.4	176	33.5	9	1.7

Racine, all races

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	49,551	1,033	2.1	5,492	11.1	41,161	83.1	5,678	11.5	616	1.2
2008	2,673	55	2.1	354	13.2	2,162	80.9	345	12.9	31	1.2
2007	2,623	67	2.6	338	12.9	2,031	77.4	306	11.7	44	1.7
2006	2,652	60	2.3	330	12.4	2,099	79.1	323	12.2	41	1.5
2005	2,623	49	1.9	285	10.9	2,224	84.8	265	10.1	16	0.6
2004	2,499	76	3.0	274	11.0	2,088	83.6	240	9.6	21	0.8
2003	2,539	66	2.6	287	11.3	2,144	84.4	252	9.9	21	0.8
2002	2,540	57	2.2	256	10.1	2,165	85.2	252	9.9	11	0.4
2001	2,581	59	2.3	269	10.4	2,163	83.8	283	11.0	34	1.3
2000	2,650	55	2.1	312	11.8	2,204	83.2	304	11.5	38	1.4
1999	2,534	56	2.2	290	11.4	2,150	84.8	273	10.8	33	1.3
1998	2,633	59	2.2	327	12.4	2,204	83.7	317	12.0	56	2.1
1997	2,564	51	2.0	265	10.3	2,167	84.5	305	11.9	39	1.5
1996	2,592	59	2.3	266	10.3	2,142	82.6	316	12.2	37	1.4
1995	2,512	56	2.2	267	10.6	2,068	82.3	319	12.7	44	1.8
1994	2,561	37	1.4	253	9.9	2,093	81.7	296	11.6	31	1.2
1993	2,690	39	1.4	298	11.1	2,229	82.9	314	11.7	42	1.6
1992	2,617	48	1.8	230	8.8	2,209	84.4	315	12.0	28	1.1
1991	2,771	54	1.9	310	11.2	2,364	85.3	313	11.3	23	0.8
1990	2,697	30	1.1	281	10.4	2,255	83.6	340	12.6	26	1.0

Racine, White

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	34,793	543	1.6	3,349	9.6	31,000	89.1	2,450	7.0	235	0.7
2008	1,666	28	1.7	187	11.2	1,466	88.0	124	7.4	12	0.7
2007	1,618	32	2.0	176	10.9	1,360	84.1	117	7.2	19	1.2
2006	1,695	28	1.7	185	10.9	1,448	85.4	134	7.9	22	1.3
2005	1,776	27	1.5	188	10.6	1,605	90.4	114	6.4	X	N/A
2004	1,705	39	2.3	163	9.6	1,509	88.5	107	6.3	11	0.6
2003	1,715	38	2.2	174	10.1	1,535	89.5	113	6.6	8	0.5
2002	1,737	28	1.6	143	8.2	1,586	91.3	84	4.8	5	0.3
2001	1,765	25	1.4	163	9.2	1,579	89.5	110	6.2	14	0.8
2000	1,849	38	2.1	202	10.9	1,642	88.8	133	7.2	16	0.9
1999	1,837	38	2.1	196	10.7	1,658	90.3	125	6.8	11	0.6
1998	1,879	27	1.4	216	11.5	1,688	89.8	138	7.3	22	1.2
1997	1,869	31	1.7	167	8.9	1,691	90.5	138	7.4	16	0.9
1996	1,873	29	1.5	159	8.5	1,668	89.1	141	7.5	13	0.7
1995	1,842	26	1.4	159	8.6	1,633	88.7	148	8.0	16	0.9
1994	1,891	14	0.7	163	8.6	1,676	88.6	125	6.6	9	0.5
1993	1,978	21	1.1	184	9.3	1,766	89.3	138	7.0	11	0.6
1992	1,949	25	1.3	141	7.2	1,765	90.6	144	7.4	7	0.4
1991	2,105	33	1.6	205	9.7	1,898	90.2	157	7.5	7	0.3
1990	2,044	16	0.8	178	8.7	1,827	89.4	160	7.8	13	0.6

Racine, Black

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	7,722	326	4.2	1,334	17.3	5,182	67.1	1,738	22.5	255	3.3
2008	447	15	3.4	100	22.4	303	67.8	101	22.6	10	2.2
2007	436	23	5.3	84	19.3	297	68.1	73	16.7	15	3.4
2006	432	20	4.6	73	16.9	279	64.6	86	19.9	15	3.5
2005	361	15	4.2	63	17.5	266	73.7	66	18.3	7	1.9
2004	378	24	6.3	68	18.0	283	74.9	59	15.6	5	1.3
2003	399	14	3.5	65	16.3	303	75.9	58	14.5	8	2.0
2002	394	18	4.6	73	18.5	287	72.8	77	19.5	X	N/A
2001	376	23	6.1	62	16.5	260	69.1	79	21.0	14	3.7
2000	377	12	3.2	58	15.4	262	69.5	75	19.9	15	4.0
1999	354	14	4.0	54	15.3	239	67.5	84	23.7	14	4.0
1998	406	21	5.2	66	16.3	262	64.5	108	26.6	20	4.9
1997	367	12	3.3	54	14.7	250	68.1	84	22.9	13	3.5
1996	403	23	5.7	69	17.1	256	63.5	105	26.1	14	3.5
1995	390	18	4.6	75	19.2	247	63.3	103	26.4	17	4.4
1994	411	19	4.6	63	15.3	239	58.2	107	26.0	19	4.6
1993	484	12	2.5	81	16.7	302	62.4	121	25.0	29	6.0
1992	441	15	3.4	68	15.4	283	64.2	119	27.0	16	3.6
1991	427	15	3.5	76	17.8	286	67.0	107	25.1	11	2.6
1990	439	13	3.0	82	18.7	278	63.3	126	28.7	11	2.5

Racine, Hispanic

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	6,319	155	2.5	742	11.7	4,427	70.1	1,382	21.9	112	1.8
2008	501	10	2.0	58	11.6	345	68.9	114	22.8	7	1.4
2007	503	10	2.0	64	12.7	325	64.6	108	21.5	6	1.2
2006	477	11	2.3	66	13.8	338	70.9	93	19.5	X	N/A
2005	439	7	1.6	32	7.3	315	71.8	80	18.2	5	1.1
2004	356	11	3.1	37	10.4	253	71.1	65	18.3	X	N/A
2003	376	14	3.7	44	11.7	273	72.6	71	18.9	X	N/A
2002	360	10	2.8	37	10.3	254	70.6	82	22.8	X	N/A
2001	384	10	2.6	41	10.7	280	72.9	86	22.4	6	1.6
2000	377	5	1.3	47	12.5	257	68.2	93	24.7	7	1.9
1999	320	X	N/A	39	12.2	233	72.8	63	19.7	8	2.5
1998	317	11	3.5	44	13.9	231	72.9	64	20.2	13	4.1
1997	300	8	2.7	41	13.7	205	68.3	78	26.0	9	3.0
1996	294	7	2.4	36	12.2	203	69.0	65	22.1	10	3.4
1995	249	12	4.8	31	12.4	164	65.9	63	25.3	11	4.4
1994	238	X	N/A	26	10.9	160	67.2	61	25.6	X	N/A
1993	214	6	2.8	32	15.0	152	71.0	52	24.3	X	N/A
1992	201	8	4.0	18	9.0	139	69.2	48	23.9	5	2.5
1991	220	6	2.7	28	12.7	164	74.5	48	21.8	5	2.3
1990	193	X	N/A	21	10.9	136	70.5	48	24.9	X	N/A

Racine, Other

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	717	9	1.3	67	9.3	552	77.0	108	15.1	14	2.0
2008	59	X	N/A	9	15.3	48	81.4	6	10.2	X	N/A
2007	66	X	N/A	14	21.2	49	74.2	8	12.1	X	N/A
2006	48	X	N/A	6	12.5	34	70.8	10	20.8	.	N/A
2005	47	.	N/A	X	N/A	38	80.9	5	10.6	X	N/A
2004	60	X	N/A	6	10.0	43	71.7	9	15.0	X	N/A
2003	49	.	N/A	X	N/A	33	67.3	10	20.4	X	N/A
2002	49	X	N/A	X	N/A	38	77.6	9	18.4	.	N/A
2001	56	X	N/A	X	N/A	44	78.6	8	14.3	.	N/A
2000	47	.	N/A	5	10.6	43	91.5	X	N/A	.	N/A
1999	23	.	N/A	X	N/A	20	87.0	X	N/A	.	N/A
1998	31	.	N/A	X	N/A	23	74.2	7	22.6	X	N/A
1997	28	.	N/A	X	N/A	21	75.0	5	17.9	X	N/A
1996	22	.	N/A	X	N/A	15	68.2	5	22.7	.	N/A
1995	31	.	N/A	X	N/A	24	77.4	5	16.1	.	N/A
1994	21	.	N/A	X	N/A	18	85.7	X	N/A	.	N/A
1993	14	.	N/A	X	N/A	9	64.3	X	N/A	.	N/A
1992	26	.	N/A	X	N/A	22	84.6	X	N/A	.	N/A
1991	19	.	N/A	X	N/A	16	84.2	X	N/A	.	N/A
1990	21	.	N/A	.	N/A	14	66.7	6	28.6	X	N/A

Rock, all races

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	39,127	731	1.9	4,146	10.6	34,225	87.5	3,234	8.3	251	0.6
2008	2,076	52	2.5	221	10.6	1,793	86.4	157	7.6	12	0.6
2007	2,161	36	1.7	229	10.6	1,846	85.4	182	8.4	17	0.8
2006	2,125	38	1.8	246	11.6	1,884	88.7	145	6.8	17	0.8
2005	2,052	29	1.4	212	10.3	1,845	89.9	131	6.4	15	0.7
2004	2,002	34	1.7	233	11.6	1,798	89.8	124	6.2	14	0.7
2003	2,055	31	1.5	232	11.3	1,866	90.8	121	5.9	6	0.3
2002	1,966	45	2.3	225	11.4	1,800	91.6	121	6.2	6	0.3
2001	2,028	45	2.2	251	12.4	1,833	90.4	139	6.9	7	0.3
2000	2,075	38	1.8	202	9.7	1,868	90.0	126	6.1	19	0.9
1999	2,013	36	1.8	210	10.4	1,692	84.1	185	9.2	13	0.6
1998	2,040	33	1.6	200	9.8	1,768	86.7	162	7.9	17	0.8
1997	1,990	25	1.3	220	11.1	1,663	83.6	189	9.5	24	1.2
1996	1,969	38	1.9	206	10.5	1,741	88.4	166	8.4	9	0.5
1995	1,963	47	2.4	235	12.0	1,728	88.0	176	9.0	9	0.5
1994	2,021	36	1.8	212	10.5	1,738	86.0	207	10.2	8	0.4
1993	2,149	42	2.0	200	9.3	1,852	86.2	223	10.4	12	0.6
1992	2,121	38	1.8	208	9.8	1,820	85.8	216	10.2	15	0.7
1991	2,155	49	2.3	220	10.2	1,848	85.8	232	10.8	13	0.6
1990	2,166	39	1.8	184	8.5	1,842	85.0	232	10.7	18	0.8

Rock, White

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	33,518	564	1.7	3,389	10.1	30,058	89.7	2,279	6.8	147	0.4
2008	1,656	42	2.5	180	10.9	1,467	88.6	102	6.2	8	0.5
2007	1,757	24	1.4	187	10.6	1,531	87.1	132	7.5	8	0.5
2006	1,678	28	1.7	174	10.4	1,509	89.9	96	5.7	12	0.7
2005	1,688	21	1.2	153	9.1	1,551	91.9	85	5.0	10	0.6
2004	1,652	23	1.4	184	11.1	1,502	90.9	88	5.3	10	0.6
2003	1,707	25	1.5	189	11.1	1,582	92.7	75	4.4	X	N/A
2002	1,643	36	2.2	191	11.6	1,522	92.6	88	5.4	X	N/A
2001	1,691	29	1.7	207	12.2	1,558	92.1	92	5.4	6	0.4
2000	1,778	32	1.8	167	9.4	1,640	92.2	82	4.6	10	0.6
1999	1,759	30	1.7	177	10.1	1,531	87.0	124	7.0	8	0.5
1998	1,779	26	1.5	170	9.6	1,593	89.5	109	6.1	X	N/A
1997	1,743	19	1.1	185	10.6	1,512	86.7	135	7.7	14	0.8
1996	1,750	35	2.0	185	10.6	1,595	91.1	115	6.6	X	N/A
1995	1,739	35	2.0	196	11.3	1,573	90.5	121	7.0	5	0.3
1994	1,805	27	1.5	176	9.8	1,601	88.7	154	8.5	5	0.3
1993	1,911	35	1.8	165	8.6	1,697	88.8	160	8.4	7	0.4
1992	1,910	28	1.5	177	9.3	1,684	88.2	167	8.7	11	0.6
1991	1,921	38	2.0	183	9.5	1,709	89.0	169	8.8	9	0.5
1990	1,951	31	1.6	143	7.3	1,701	87.2	185	9.5	10	0.5

Rock, Black

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	2,678	120	4.5	460	17.2	1,910	71.3	493	18.4	53	2.0
2008	137	6	4.4	11	8.0	112	81.8	14	10.2	.	N/A
2007	152	8	5.3	24	15.8	122	80.3	15	9.9	6	3.9
2006	145	5	3.4	31	21.4	121	83.4	17	11.7	X	N/A
2005	125	5	4.0	28	22.4	106	84.8	10	8.0	X	N/A
2004	120	6	5.0	26	21.7	100	83.3	14	11.7	X	N/A
2003	124	X	N/A	16	12.9	96	77.4	18	14.5	X	N/A
2002	124	5	4.0	18	14.5	106	85.5	11	8.9	X	N/A
2001	131	10	7.6	23	17.6	111	84.7	15	11.5	.	N/A
2000	138	5	3.6	22	15.9	101	73.2	23	16.7	X	N/A
1999	112	X	N/A	17	15.2	71	63.4	27	24.1	X	N/A
1998	148	5	3.4	20	13.5	91	61.5	32	21.6	11	7.4
1997	139	6	4.3	26	18.7	81	58.3	31	22.3	X	N/A
1996	121	X	N/A	13	10.7	82	67.8	28	23.1	.	N/A
1995	151	12	7.9	32	21.2	105	69.5	36	23.8	.	N/A
1994	149	7	4.7	31	20.8	91	61.1	41	27.5	X	N/A
1993	158	7	4.4	27	17.1	103	65.2	41	25.9	X	N/A
1992	150	7	4.7	25	16.7	94	62.7	33	22.0	X	N/A
1991	186	10	5.4	32	17.2	111	59.7	46	24.7	X	N/A
1990	168	7	4.2	38	22.6	106	63.1	41	24.4	7	4.2

Rock, Hispanic

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	2,312	37	1.6	222	9.6	1,771	76.6	370	16.0	43	1.9
2008	240	X	N/A	26	10.8	177	73.8	37	15.4	X	N/A
2007	215	X	N/A	11	5.1	164	76.3	30	14.0	X	N/A
2006	260	5	1.9	34	13.1	217	83.5	27	10.4	X	N/A
2005	194	X	N/A	23	11.9	154	79.4	28	14.4	X	N/A
2004	194	X	N/A	20	10.3	164	84.5	20	10.3	X	N/A
2003	182	X	N/A	19	10.4	152	83.5	23	12.6	.	N/A
2002	166	X	N/A	12	7.2	141	84.9	20	12.0	X	N/A
2001	155	5	3.2	17	11.0	125	80.6	25	16.1	X	N/A
2000	121	X	N/A	10	8.3	96	79.3	17	14.0	X	N/A
1999	113	X	N/A	15	13.3	66	58.4	32	28.3	X	N/A
1998	76	X	N/A	6	7.9	57	75.0	14	18.4	X	N/A
1997	80	.	N/A	X	N/A	50	62.5	17	21.3	7	8.8
1996	73	.	N/A	5	6.8	42	57.5	20	27.4	6	8.2
1995	60	.	N/A	7	11.7	41	68.3	15	25.0	X	N/A
1994	48	X	N/A	X	N/A	35	72.9	8	16.7	X	N/A
1993	46	.	N/A	5	10.9	28	60.9	15	32.6	.	N/A
1992	33	X	N/A	5	15.2	22	66.7	10	30.3	.	N/A
1991	30	.	N/A	X	N/A	19	63.3	8	26.7	X	N/A
1990	26	.	N/A	X	N/A	21	80.8	X	N/A	.	N/A

Rock, Other

	All Births	Very preterm (< 32 wks)		Preterm (<37 wks)		Adequate Prenatal Care		Inadequate Prenatal Care		No Prenatal Care	
	N	N	%	N	%	N	%	N	%	N	%
All Years	619	10	1.6	75	12.1	486	78.5	92	14.9	8	1.3
2008	43	.	N/A	X	N/A	37	86.0	X	N/A	.	N/A
2007	37	X	N/A	7	18.9	29	78.4	5	13.5	.	N/A
2006	42	.	N/A	7	16.7	37	88.1	5	11.9	.	N/A
2005	45	.	N/A	8	17.8	34	75.6	8	17.8	X	N/A
2004	36	X	N/A	X	N/A	32	88.9	X	N/A	.	N/A
2003	42	.	N/A	8	19.0	36	85.7	5	11.9	.	N/A
2002	33	.	N/A	X	N/A	31	93.9	X	N/A	.	N/A
2001	51	X	N/A	X	N/A	39	76.5	7	13.7	.	N/A
2000	38	.	N/A	X	N/A	31	81.6	X	N/A	X	N/A
1999	29	.	N/A	X	N/A	24	82.8	X	N/A	.	N/A
1998	37	X	N/A	X	N/A	27	73.0	7	18.9	.	N/A
1997	28	.	N/A	6	21.4	20	71.4	6	21.4	X	N/A
1996	25	.	N/A	X	N/A	22	88.0	X	N/A	.	N/A
1995	13	.	N/A	.	N/A	9	69.2	X	N/A	.	N/A
1994	19	X	N/A	X	N/A	11	57.9	X	N/A	.	N/A
1993	34	.	N/A	X	N/A	24	70.6	7	20.6	X	N/A
1992	28	X	N/A	X	N/A	20	71.4	6	21.4	X	N/A
1991	18	X	N/A	X	N/A	9	50.0	9	50.0	.	N/A
1990	21	X	N/A	X	N/A	14	66.7	X	N/A	X	N/A